



**Air Pollution Control
Title V Permit to Operate
Statement of Basis for Permit No V-SUIT-0011-2019.00
April 6, 2020**

**Red Cedar Gathering Company
Bondad Compressor Station
Southern Ute Indian Reservation
La Plata County, Colorado**

1. Facility Information

a. Location

The Bondad Compressor Station (Bondad), owned and operated by Red Cedar Gathering Company (Red Cedar), is located within the exterior boundary of the Southern Ute Indian Reservation. The exact location is Section 24, T33N, R10W, in La Plata County, at latitude North 37.08811 and longitude West 107.88294. The Mailing address is:

Red Cedar Gathering Company
Bondad Compressor Station
125 Mercado St.; Suite 201
Durango, CO 81301

b. Contacts

Facility Contact:

Ethan Hinkley
Air Quality Compliance Manager
Red Cedar Gathering Company
125 Mercado Street; Suite 201
Durango, CO 81301
970-764-6495

Responsible Official:

Kourtney Hadrick
President – Chief Operating Officer
Red Cedar Gathering Company
125 Mercado Street; Suite 201
Durango, CO 81301
970-764-6900 Ext. 6909

c. Description of Operations

The Bondad compressor station is a low to medium pressure compressor station capable of processing roughly 35 MMscf/day. The station receives inlet gas from various well locations and producer pipelines, with an inlet pressure of approximately 30-40 psi. There are three main inlets to the station which correspond to lines coming in from different producers or different areas. The gas from all inlets first is compressed through 7 compressors, driven by Waukesha 7042GL engines to approximately 350-400 psi. It is then processed through two TEG dehydrators set in parallel (i.e., the gas is can be split

evenly between the two dehydration units or sent to either one individually). The gas comes in saturated and leaves the station at less than 7 lbs H₂O/MMscf. After dehydration, the gas goes through the outlet meter building, with a portion being routed back to the station as fuel gas. The gas is then sent to Red Cedar's medium pressure pipeline.

d. List of All Units and Emission-Generating Activities

Red Cedar provided the information contained in Tables 1 and 2 in its part 70 permit renewal application. Table 1 lists emission units and emission generating activities, including any air pollution control devices. Emission units identified as “insignificant” emitting units (IEUs) are listed separately in Table 2.

Table 1 – Emission Units
Red Cedar Gathering Company, Bondad Compressor Station

Emission Unit ID	Description				Control Equipment
	Waukesha 7042GL (4SLB SI) Natural Gas-Fired Compressor Engine 1,478 Name Plate Rated HP				None
E-205	Serial No.	C-14182/1	Install Date:	2/12/2020	
E-206	Serial No.	C-61327/1	Install Date:	4/23/2008	
E-207	Serial No.	C-12583/3	Install Date:	7/30/2013	
E-209	Serial No.	C-13476/1	Install Date:	7/17/2013	
E-210	Serial No.	C-13013/2	Install Date:	9/1/2015	
E-211	Serial No.	C-10643/1	Install Date:	5/13/2019	
E-212	Serial No.	397521	Install Date:	2/12/2020	
	PESCO TEG Dehydrator 25 MMscf/day				Flash Tank with Combustion Device
D-301	Serial No.	N/A	Install Date:	1/1/1998	
D-303	Serial No.	N/A	Install Date:	12/1/1998	

The Southern Ute Indian Tribe/State of Colorado Environmental Commission's Reservation Air Code allows sources to separately list in the permit application units or activities that qualify as “insignificant” based on potential emissions below 2 tpy for all regulated pollutants that are not listed as hazardous air pollutants (HAPs) under Section 112(b) of the Clean Air Act (CAA) and below 1,000 lbs per year or the de minimis level established under Section 112(g), whichever is lower, for HAP emissions [RAC 2-106(4)(f); RAC 1-103(36) and (37)]. However, the application may not omit information needed

to determine the applicability of, or to impose, any applicable requirement, or to calculate the fee [RAC 2-106(4)(f)]. Units that qualify as “insignificant” for the purposes of the Part 70 application are in no way exempt from applicable requirements or any requirements of the Part 70 permit.

Red Cedar stated in its Part 70 permit renewal application that the emission units in Table 2, below, are insignificant. The application provided calculations for heater/reboiler emissions based on EPA’s AP-42 emission factors. Red Cedar provided sufficient information, including EPA Tanks 4.0.9d calculations, to verify any emissions from liquids in the tanks were insignificant. This data supports Red Cedar’s claim that these units qualify as insignificant.

Table 2 – Insignificant Emission Units
Red Cedar Gathering Company, Bondad Compressor Station

Emission Unit ID	Amount	Description	Size	Units
D-301	1	Glycol Reboiler	0.5	MMBtu/hr
D-303	1	Glycol Reboiler	1.0	MMBtu/hr
H-101, H-201	2	Catalytic Heater	0.012	MMBtu/hr
H-401, H-402	2	Catalytic Heater	0.012	MMBtu/hr
H-501, H-502	2	Tank Heater	0.325	MMBtu/hr
H-700, H-701	2	Tank Heater	0.325	MMBtu/hr
TK-501, TK-701	2	Waste Water Tank	15,750	gal
TK-502	1	Waste Oil Tank	6,615	gal
TK-503, TK-504	2	Glycol Still Vent Tank	725	gal
TK-505, TK-507	2	Glycol Storage Tank	1,000	gal
TK-506, TK-507	2	Lube Oil Tank	1,700	gal
TK-508, TK-509	2	Engine Coolant Tank	500	gal
TK-510	1	Glycol Storage Tank	500	gal
TK-700	1	Waste Water Tank	6,615	gal
G-100	1	General Motors Vortec 5.7L (4SRB SI) Emergency Generator (Serial No.: 2312707, Installed: 1/24/2017)	80	Nameplate HP
N/A	N/A	Fugitive Emissions	N/A	N/A

e. Facility Construction and/or Permitting History

The Bondad Compressor Station commenced operation in 1981. The initial Part 71 permit was issued to Red Cedar for Bondad on March 7, 2001. At the time, the station was major for Prevention of Significant Deterioration (PSD) permitting requirements but the potential to emit (PTE) of all regulated pollutants for initial construction was less than 250 tpy and subsequent modifications were below the major source permitting thresholds. Hence, the facility was never required to obtain a PSD permit for construction of any of the existing operations at the facility. At the request of Red Cedar, conditions were created in the initial permit to effectively establish Bondad as a synthetic minor source with respect to PSD permitting. A facility wide PTE limit of 230 tons of carbon monoxide (CO) per rolling 12 month period was established in the operating permit, as well as short term CO emission limit of 4.56 lb/hr per engine. EPA issued the first renewed Part 71 permit for Bondad on April 10, 2006. That permit was administratively amended three times.

EPA received the application for a second Part 71 permit renewal on October 19, 2010. The amendment to the application was received on December 20, 2011. Due to emission reductions resulting from equipment removal at the facility, the uncontrolled facility wide PTE is now below the major source thresholds with respect to PSD permitting. Therefore, Red Cedar requested the previous synthetic minor limits be removed from the second renewal of the Part 71 permit. A Part 71 renewal permit was issued in August 2012. An initial Part 70 permit was issued on August 14, 2014. That permit went through one minor permit revision. The first Part 70 permit, V-SUIT-0011-2019.00, was issued on April 6, 2020.

f. Potential to Emit

Under RAC 1-103(51), potential to emit (PTE) is defined as the maximum capacity of a stationary source to emit a pollutant under its physical and operational design. Any physical or operational limitation on the capacity of the source to emit a pollutant, including air pollution control equipment and restrictions on hours of operation or on the type or amount of material combusted, stored, or processed, shall be treated as part of its design if the limitation, or the effect it would have on emissions, is federally enforceable.

The PTE for Bondad Compressor Station was listed by Red Cedar in Forms “GIS”, “PTE”, and the various forms “EMISS” of the Part 70 operating permit renewal application. Table 3 shows PTE data broken down by each individual emission unit, as well as the total facility-wide PTE.

Table 3 - Potential to Emit
Red Cedar Gathering Company, Bondad Compressor Station

Emission Unit ID	Regulated Air Pollutants								
	in tpy								
	NO_x	VOC	SO₂	PM₁₀	CO	Lead	Total HAPs	Largest Single HAP (CH₂O)	GHGs (CO₂e mtpy)
E-205	19.4	13.0	0.0	0.4	34.3	0.0	5.0	3.8	6,362.5
E-206	19.4	13.0	0.0	0.4	34.3	0.0	5.0	3.8	6,362.5
E-207	19.4	13.0	0.0	0.4	34.3	0.0	5.0	3.8	6,362.5
E-209	19.4	13.0	0.0	0.4	34.3	0.0	5.0	3.8	6,362.5
E-210	19.4	13.0	0.0	0.4	34.3	0.0	5.0	3.8	6,362.5
E-211	19.4	13.0	0.0	0.4	34.3	0.0	5.0	3.8	6,362.5
E-212	19.4	13.0	0.0	0.4	34.3	0.0	5.0	3.8	6,362.5
D-301	0.0	3.4	0.0	0.0	0.0	0.0	2.0	0.0	474.2
D-303	0.0	3.4	0.0	0.0	0.0	0.0	2.0	0.0	474.2
Total IEUs	1.1	0.6	0.0	0.1	1.8	0.0	0.0	0.0	5,191.7
	136.9	98.4	0.0	2.9	241.9	0.0	39.0	26.6	50,677.6

2. Tribal Authority

Bondad Compressor Station is located within the exterior boundaries of the Southern Ute Indian Reservation and is thus within Indian Country as defined at 18 U.S.C. §1151. On March 2, 2012, the

EPA determined that the Southern Ute Indian Tribe of the Southern Ute Indian Reservation had met the requirements of 40 CFR §70.4(b) for full approval to administer its Clean Air Act Title V, Part 70 Permitting Program (Program). In concert with that Program approval, the EPA also found that the Tribe met the requirements of Section 301(d)(2) of the CAA and 40 CFR §49.6 for treatment “in the same manner as a state” for the purposes of issuing CAA Title V, Part 70 operating permits. The EPA promulgated its approval of the Tribe’s applications on March 15, 2012 (77 FR 15267). The requirements of the Clean Air Act Title V, Part 70 Permitting Program (Program) have been incorporated at Article II, Part 1 of the Reservation Air Code. Therefore, the Southern Ute Indian Tribe is the appropriate governmental entity to issue the Title V permit to this facility.

The Reservation Air Code: The Reservation Air Code was adopted pursuant to the authority vested in the Southern Ute Indian Tribe/State of Colorado Environmental Commission by (1) the Intergovernmental Agreement Between the Southern Ute Indian Tribe and the State of Colorado Concerning Air Quality Control on the Southern Ute Indian Reservation dated December 13, 1999, (2) tribal law (Resolution of the Council of the Southern Ute Indian Tribe No. 00-09), (3) State law (C.R.S. § 24- 62-101), and (4) as recognized in federal law (Act of October 18, 2004, Pub. L. No. 108-336, 118 Stat.1354).

NSPS and NESHAP Delegation: On September 6, 2013, the Southern Ute Indian Tribe received delegation from the EPA to incorporate by reference into the Reservation Air Code and enforce certain subparts of the new source performance standards (NSPS) and national emission standards for hazardous air pollutants (NESHAP) under Sections 111 and 112 of the Clean Air Act, respectively (78 FR 40635). These NSPS and NESHAP subparts generally apply to oil and gas operations within the exterior boundaries of the Southern Ute Indian Reservation and were adopted, unchanged, into the Reservation Air Code as Parts 2 and 3.

Tribal Minor New Source Review Program: Minor sources of air pollution located within the Southern Ute Indian Reservation exterior boundaries must comply with either the “Federal Implementation Plan for Managing Air Emissions From True Minor Sources In Indian Country In The Oil And Natural Gas Production And Natural Gas Processing Segments Of The Oil And Natural Gas Sector” listed at 40 CFR §49.101 – 105 or the “Federal Minor New Source Review Program In Indian Country” listed at 40 CFR §49.151 – 164.

3. Applicable Requirements

The following discussion addresses a selection of the regulations from the Code of Federal Regulations (CFR) at Title 40. Note that this discussion does not include the full spectrum of potentially applicable regulations and is not intended to represent official applicability determinations. These discussions are based on the information provided by Red Cedar in its Part 70 permit renewal application and are only intended to present the information certified to be true and accurate by the Responsible Official of this facility.

Prevention of Significant Deterioration (PSD) - 40 CFR 52.21

PSD is a preconstruction review requirement of the CAA that applies to proposed projects that are sufficiently large (in terms of emissions) to be a “major” stationary source or “major” modification of an existing stationary source. A new stationary source, or a modification to an existing minor stationary source, is major if the proposed project has the potential to emit any pollutant regulated under the CAA in amounts equal to or exceeding specified major source thresholds, which are 100 tpy for 28 listed industrial source categories and 250 tpy for all other sources. PSD also applies to modifications at existing major sources that cause a “significant net emissions increase” at that source. Significance levels for each pollutant are defined in the PSD regulations at 40 CFR 52.21. A modification is a physical change or change in the method of operation.

Bondad is not a PSD named source, therefore the PTE threshold for determining PSD applicability for this source is 250 tpy for criteria pollutants. The PTE at Bondad is currently below the major source thresholds for PSD. **Therefore, the requirements of PSD do not apply to Bondad at this time.**

New Source Performance Standards (NSPS)

40 CFR Part 60, Subpart A: General Provisions. This subpart applies to the owner or operator of any stationary source that contains an affected facility, the construction or modification of which is commenced after the date of publication of any standard in Part 60. The general provisions under Subpart A apply to sources that are subject to the specific subparts of Part 60.

As explained below, the Bondad Compressor Station is subject to 40 CFR Part 60, Subpart JJJJ. **Therefore, the General Provisions of Part 60 apply as specified in the relevant subpart.**

40 CFR Part 60, Subpart Dc: Standards of Performance for Small Industrial-Commercial-Institutional Steam Generating Units. This rule applies to steam generating units with a maximum design heat capacity of 100 MMBtu/hr or less, but greater than or equal to 10 MMBtu/hr and commenced construction, modification, or reconstruction after June 9, 1989.

According to Red Cedar, there are no steam generating units with a maximum design heat input capacity between 10 and 100 MMBtu/hr at the Bondad Compressor Station. **Therefore, Subpart Dc does not apply.**

40 CFR Part 60, Subpart K: Standards of performance for Storage Vessels for Petroleum Liquids for which Construction, Reconstruction, or Modification Commenced After June 11, 1973, and Prior to May 19, 1978. This rule applies to storage vessels for petroleum liquids with a storage capacity greater than 40,000 gallons. 40 CFR Part 60, Subpart K does not apply to storage vessels for petroleum or condensate stored, processed, and/or treated at a drilling and production facility prior to custody transfer.

According to Red Cedar, the Bondad Compressor Station has no storage vessels for petroleum liquids for which construction, reconstruction, or modification occurred after June 11, 1973 and prior to May 19, 1978. **Therefore, Subpart K does not apply.**

40 CFR Part 60, Subpart Ka: Standards of Performance for Storage Vessels for Petroleum Liquids for which Construction, Reconstruction, or Modification Commenced After May 18, 1978, and Prior to July 23, 1984. This rule applies to storage vessels for petroleum liquids with a storage capacity greater than 40,000 gallons. Subpart Ka does not apply to petroleum storage vessels with a capacity of less than 420,000 gallons used for petroleum or condensate stored, processed, or treated prior to custody transfer.

According to Red Cedar, the Bondad Compressor Station has no storage vessels for petroleum liquids for which construction, reconstruction, or modification occurred after May 18, 1978 and prior to July 23, 1984. **Therefore, Subpart Ka does not apply.**

40 CFR Part 60, Subpart Kb: Standards of Performance for Volatile Organic Liquid Storage Vessels (Including Petroleum Liquid Storage Vessels) for which Construction, Reconstruction, or Modification Commenced After July 23, 1984. This rule applies to storage vessels with a capacity greater than or equal to 75 cubic meters (~629 bbl).

According to Red Cedar, the Bondad Compressor Station has no storage vessels for volatile organic liquids with a capacity greater than or equal to 75 m³ (~629 bbl or 19,813 gal). **Therefore, Subpart Kb does not apply to this facility.**

40 CFR Part 60, Subpart KKK: Standards of Performance for Equipment Leaks of VOC from Onshore Natural Gas Processing Plants for which construction, reconstruction, or modification commenced after January 20, 1984, and on or before August 23, 2011. This rule applies to compressors and other equipment at onshore natural gas processing facilities. As defined in this subpart, a natural gas processing plant is any processing site engaged in the extraction of natural gas liquids (NGLs) from field gas, fractionation of mixed NGLs to natural gas products, or both. NGLs are defined as the hydrocarbons, such as ethane, propane, butane, and pentane that are extracted from field gas.

According to Red Cedar, the Bondad Compressor Station does not extract natural gas liquids from field gas, nor does it fractionate mixed NGLs to natural gas products, and thus does not meet the definition of a natural gas processing plant under this subpart. **Therefore, Subpart KKK does not apply.**

40 CFR Part 60, Subpart LLL: Standards of Performance for SO₂ emissions from Onshore Natural Gas Processing for which construction, reconstruction, or modification commenced after January 20, 1984, and on or before August 23, 2011. This rule applies to sweetening units and sulfur recovery units at onshore natural gas processing facilities. As defined in this subpart, sweetening units are process devices that separate hydrogen sulfide (H₂S) and carbon dioxide (CO₂) from a sour natural gas stream. Sulfur recovery units are defined as process devices that recover sulfur from the acid gas (consisting of H₂S and CO₂) removed by a sweetening unit.

According to Red Cedar, the Bondad Compressor Station does not perform sweetening or sulfur recovery. **Therefore, Subpart LLL does not apply.**

40 CFR Part 60, Subpart JJJJ: Standards of Performance for Stationary Spark Ignition Internal Combustion Engines. This subpart establishes emission standards and compliance requirements for the control of emissions from stationary spark ignition (SI) internal combustion engines (ICE) that commenced construction, modification or reconstruction after June 12, 2006, where the SI ICE are manufactured on or after specified manufacture trigger dates. The manufacture trigger dates are based on the engine type, fuel used, and maximum engine horsepower.

For the purposes of this subpart, the date that construction commences is the date the engine is ordered by the owner or operator (See 40 CFR 60.4230(a)).

Red Cedar provided the following information:

**Table 4 - NSPS Subpart JJJJ Applicability Determination
Red Cedar Gathering Company, Bondad Compressor Station¹**

Unit	Serial No	Unit Description	Fuel	Maximum HP	Manufacture Date	Commenced Construction Date	Trigger Date for Applicability- Manufactured on or after
E-205	C-14182/1	Waukesha 7042GL SI ICE 4SLB	Natural Gas	1,478	4/2/2002	Prior to 6/12/2006	7/1/2007
E-206	C-61327/1	Waukesha 7042GL SI ICE 4SLB	Natural Gas	1,478	12/1/1998	Prior to 6/12/2006	7/1/2007
E-207	C-12583/3	Waukesha 7042GL SI ICE 4SLB	Natural Gas	1,478	12/1/1998	Prior to 6/12/2006	7/1/2007
E-209	C-13476/1	Waukesha 7042GL SI ICE 4SLB	Natural Gas	1,478	10/26/2001	Prior to 6/12/2006	7/1/2007
E-210	C-13013/2	Waukesha 7042GL SI ICE 4SLB	Natural Gas	1,478	3/1/2000	Prior to 6/12/2006	7/1/2007
E-211	C-10643/1	Waukesha 7042GL SI ICE 4SLB	Natural Gas	1,478	12/1/2001	Prior to 6/12/2006	7/1/2007
E-212	397521	Waukesha 7042GL SI ICE 4SLB	Natural Gas	1,478	12/1/1998	Prior to 6/12/2006	7/1/2007
G-100	2312707	General Motors Vortec 5.7L SI ICE 4SRB	Natural Gas	80	10/1/2010	After 6/12/2006	1/1/2009

1. Per Red Cedar, these engines have not been modified or reconstructed (as defined in Part 60) since June 12, 2006.

According to Red Cedar, emission units E-205, E-206, E-207, E-209, E-210, E-211, and E-212 are four-stroke lean-burn SI ICE rated at greater than 500 hp. All seven units were manufactured prior to July 1, 2007 (the trigger date for engines with a maximum engine power greater than 500 HP) ; and none of the units have been modified or reconstructed since June 12, 2006. Therefore, the requirements of Subpart JJJJ do not apply to these units. Emission unit G-100 is a four-stroke rich-burn SI certified ICE greater than 25 hp manufactured after January 1, 2009 (the trigger date for emergency engines with a maximum engine power greater than 25 HP). **Therefore, the requirements of Subpart JJJJ apply to emission unit G-100.**

40 CFR Part 60, Subpart OOOO: Standards of Performance for Crude Oil and Natural Gas Production, Transmission and Distribution. This subpart establishes emission standards and compliance schedules for the control of VOC and SO₂ emissions from affected facilities that commence construction, modification or reconstruction after August 23, 2011. Affected facilities under this subpart include gas wells, compressors, pneumatic controllers, storage vessels, process unit equipment, and sweetening units. The effective date for this subpart is October 15, 2012.

According to Red Cedar, the Bondad Compressor Station does not have any affected facilities under the rule that commenced construction after August 23, 2011. **Therefore, Subpart OOOO does not apply.**

40 CFR Part 60, Subpart OOOOa: Standards of Performance for Crude Oil and Natural Gas Facilities. This subpart establishes emission standards and compliance schedules for the control of the pollutant greenhouse gases (GHG) from affected facilities in the crude oil and natural gas source category that commence construction, modification or reconstruction after September 18, 2015. Affected facilities under this subpart include gas wells, compressors, pneumatic controllers, pneumatic pumps, storage vessels, and the collection of fugitive emission components at well sites and compressor stations.

According to information provided by Red Cedar, the Bondad Compressor Station does not have any affected facilities that were constructed after September 18, 2015. **Therefore, the facility is not subject to Subpart OOOOa.**

National Emission Standards for Hazardous Air Pollutants (NESHAP)

40 CFR Part 63, Subpart A: General Provisions. This subpart contains national emissions standards for HAPs that regulate specific categories of sources that emit one or more HAP regulated pollutants under the CAA. The general provisions under subpart A apply to sources that are subject to the specific subparts of Part 63.

As explained below, the Bondad Compressor Station is subject to the recordkeeping requirements of 40 CFR 63 Subpart HH. **Therefore, the General Provisions of Part 63 apply** as specified in the relevant subpart. Though the dehydration units D-301 and D-303 are not subject to the relevant standards of its relevant source category, Subpart HH, a record of an applicability determination demonstrating that the units are not subject to the relevant Part 63 standards must be kept (per §63.10(b)(3)) on file for 5 years after the determination or until a source changes its operations to become an affected source.

40 CFR Part 63, Subpart HH: National Emission Standards for Hazardous Air Pollutants from Oil and Natural Gas Production Facilities. This subpart applies to the owners and operators of affected units located at natural gas production facilities that are area or major sources of HAPs, and that process,

upgrade, or store natural gas prior to the point of custody transfer, or that process, upgrade, or store natural gas prior to the point at which natural gas enters the natural gas transmission and storage source category or is delivered to a final end user. The affected units are glycol dehydration units, storage vessels with the potential for flash emissions, and the group of ancillary equipment, and compressors intended to operate in volatile hazardous air pollutant service, which are located at natural gas processing plants.

Throughput Exemption

Those sources whose maximum natural gas throughput, as appropriately calculated per §63.760(a)(1)(i) through (a)(1)(iii), is less than 18,400 standard cubic meters per day are exempt from the requirements of this subpart.

Source Aggregation

Major source, as used in this subpart, has the same meaning as in §63.2, except that:

- 1) Emissions from any oil and gas production well with its associated equipment and emissions from any pipeline compressor station or pump station shall not be aggregated with emissions from other similar units.
- 2) Emissions from processes, operations, or equipment that are not part of the same facility shall not be aggregated.
- 3) For facilities that are production field facilities, only HAP emissions from glycol dehydration units and storage vessels with the potential for flash emissions shall be aggregated for a major source determination.

Facility

For the purpose of a major source determination, facility means oil and natural gas production and processing equipment that is located within the boundaries of an individual surface site as defined in Subpart HH. Examples of facilities in the oil and natural gas production category include, but are not limited to: well sites, satellite tank batteries, central tank batteries, a compressor station that transports natural gas to a natural gas processing plant, and natural gas processing plants.

Production Field Facility

Production field facilities are those located prior to the point of custody transfer. The definition of custody transfer (40 CFR 63.761) means the point of transfer after the processing/treating in the producing operation, except for the case of a natural gas processing plant, in which case the point of custody transfer is the inlet to the plant.

Natural Gas Processing Plant

A natural gas processing plant is defined in 40 CFR 63.761 as any processing site engaged in the extraction of NGLs from field gas, or the fractionation of mixed NGLs to natural gas products, or a combination of both. A treating plant or gas plant that does not engage in these activities is considered to be a production field facility.

Major Source Determination for Production Field Facilities

The definition of major source in subpart HH (at 40 CFR 63.761) states, in part, that only emissions from the dehydration units and storage vessels at production field facilities shall be aggregated when comparing to the major source thresholds.

For facilities that are not production field facilities, HAP emissions from all HAP emission units shall be aggregated.

Area Source Applicability

40 CFR Part 63, Subpart HH also applies to area sources of HAPs. An area source is a HAP source whose total HAP emissions are less than 10 tpy of any single HAP or 25 tpy for all HAPs in aggregate. This subpart requires different emission reduction requirements for glycol dehydration units found at oil and gas production facilities based on their geographical location.

Units located in densely populated areas (determined by the Bureau of Census) and known as urbanized areas with an added 2-mile offset and urban clusters of 10,000 people or more, are required to have emission controls. Units located outside these areas will be required to have the glycol recirculation pump rate optimized or operators must document that uncontrolled annual actual benzene emissions are less than 0.9 megagrams (1,984 lbs.).

Any source that determines that it is not a major source but has actual emissions of 5 tons per year of a single HAP or 12.5 tons per year of a combination of HAP (i.e. 50 percent of the major source thresholds), shall update its major source determination within 1 year of the prior determination and each year thereafter, using gas composition data measured during the preceding 12 months.

Applicability of Subpart HH to the Bondad Compressor Station

According to Red Cedar, the Bondad Compressor Station is an area source of HAPs, upgrades natural gas, and is located prior to the point of custody transfer (and therefore prior to the point at which natural gas leaves the natural gas processing category and enters the natural gas transmission and storage category). Because the facility is in the natural gas processing category only emissions from dehydration units and storage vessels need to be aggregated when determining major source status. The total HAP emissions from the glycol dehydrators and storage vessels are below major source thresholds. Therefore, Bondad is subject to the area source requirements of Subpart HH.

Units D-301 and D-303 are affected sources under this rule. However, according to Red Cedar, the uncontrolled actual annual average benzene emissions from each dehydration unit were determined to be less than 0.90 megagrams per year. Per §63.764(e), emission units D-301 and D-303 are exempt from the requirements of §63.764(d). **However, Red Cedar must keep records of the exemption determination as specified in §63.774(d)(1) of Subpart HH.**

40 CFR Part 63, Subpart HHH: National Emission Standards for Hazardous Air Pollutants from Natural Gas Transmission and Storage Facilities. This subpart applies to natural gas transmission and storage facilities that transport or store natural gas prior to entering the pipeline to a local distribution company or to a final end user, and that are a major source of hazardous air pollutant (HAP) emissions. Natural gas transmission means the pipelines are used for long distance transport (excluding processing).

According to Red Cedar, the Bondad Compressor Station is not part of the natural gas transmission and storage source category. **Therefore, Subpart HHH does not apply.**

40 CFR Part 63, Subpart ZZZZ (RICE MACT): National Emission Standards for Hazardous Air Pollutants for Stationary Reciprocating Internal Combustion Engines (RICE). This rule establishes national emission limitations and operating limitations for HAPs emitted from stationary spark-ignition reciprocating internal combustion engines (SI RICE) and stationary compression ignition reciprocating internal combustion engines (CI RICE).

For the purposes of this standard, construction or reconstruction is as defined in §63.2.

Summary of Applicability to Engines at Major HAP Sources

Major HAP Sources			
Engine Type	Horse Power Rating	New / Existing	Applicability Trigger Date
SI RICE – All ¹	≥ 500 HP	New	On or After: 12/19/2002
SI RICE – 4SRB	> 500 HP	Existing	Before: 12/19/2002
SI RICE – All ¹	≤ 500 HP	New	On or After: 6/12/2006
SI RICE – All ¹	≤ 500 HP	Existing	Before: 6/12/2006
CI RICE – All ²	≥ 500 HP	New	On or After: 12/19/2002
CI RICE – Non Emergency	> 500 HP	Existing	Before: 12/19/2002
CI RICE – All ²	≤ 500 HP	New	On or After: 6/12/2006
CI RICE – All ²	≤ 500 HP	Existing	Before: 6/12/2006

1. All includes emergency RICE, limited use RICE, RICE that burn land fill or digester gas, 4SLB, 2SLB, and 4SRB.
2. All includes emergency RICE and limited use RICE

Summary of Applicability to Engines at Area HAP Sources

Area HAP Sources			
Engine Type	Horse Power Rating	New / Existing	Applicability Trigger Date
SI RICE – All ¹	All HP	New	On or After: 6/12/2006
SI RICE – All ¹	All HP	Existing	Before: 6/12/2006

CI RICE – All ²	All HP	New	On or After: 6/12/2006
CI RICE – All ²	All HP	Existing	Before: 6/12/2006

1. All includes emergency RICE, limited use RICE, RICE that burn land fill or digester gas, 4SLB, 2SLB, and 4SRB.
2. All includes emergency RICE and limited use RICE

Applicability of 40 CFR 63, Subpart ZZZZ to the Bondad Compressor Station:

Unit	Serial Number	Unit Description	Fuel	Site Rated HP	Commenced Construction, Reconstruction, or Modification Date
E-205	C-14182/1	Waukesha 7042GL SI ICE 4SLB	Natural Gas	1,342	4/2/2002
E-206	C-61327/1	Waukesha 7042GL SI ICE 4SLB	Natural Gas	1,342	12/1/1998
E-207	C-12583/3	Waukesha 7042GL SI ICE 4SLB	Natural Gas	1,342	12/1/1998
E-209	C-13476/1	Waukesha 7042GL SI ICE 4SLB	Natural Gas	1,342	10/26/2001
E-210	C-13013/2	Waukesha 7042GL SI ICE 4SLB	Natural Gas	1,342	3/1/2000
E-211	C-10643/1	Waukesha 7042GL SI ICE 4SLB	Natural Gas	1,342	12/1/2001
E-212	397521	Waukesha 7042GL SI ICE 4SLB	Natural Gas	1,342	12/1/1998
G-100	2312707	General Motors Vortec 5.7L 4SRB	Natural Gas	63	10/1/2010

According to Red Cedar, Bondad is a major source as defined in Subpart ZZZZ. Units E-205, E-206, E-207, E-209, E-210, E-211, and E-212 are four-stroke lean-burn (4SLB) stationary RICE > 500 site-rated HP and were constructed prior to December 19, 2002; as a result of this construction date, the units are considered existing 4SLB stationary RICE. Per §63.6590(b)(3)(ii), existing 4SLB stationary RICE >500hp located at a major source of HAP emissions do not have to meet the requirements of Subpart ZZZZ, including initial notification requirements. Unit G-100 is a four-stroke rich burn emergency generator with a site rating <500 hp manufactured after December 19, 2002. **Therefore, G-100 is considered a new emergency stationary RICE, and in accordance with §63.6590(c)(6), must meet the requirements of Subpart ZZZZ by meeting the requirements of 40 CFR Part 60, Subpart JJJJ. No further requirements of 40 CFR Part 63, Subpart ZZZZ apply to G-100.**

40 CFR Part 63, Subpart DDDDD (Boiler MACT (for major sources)): National Emission Standards for Hazardous Air Pollutants for Major Sources: Industrial, Commercial, and Institutional Boilers and Process Heaters. This rule establishes national emission limitations and operating limitations for HAPs emitted from new and existing industrial boilers, institutional boilers, commercial boilers, and process heaters that are located at major sources of HAPs. Boilers or process heaters that combust natural gas for fuel or have a maximum designed heat input capacity less than 10 MMBtu/hr are subject to work practice standards in lieu of emission limits. For the purposes of this subpart, an affected unit is an existing unit if it was constructed prior to June 4, 2010.

According to information provided by Red Cedar, the Bondad Compressor Station is not a major source as defined in §63.7575. **Therefore, Subpart DDDDD does not apply.**

40 CFR Part 63, Subpart JJJJJ (Boiler MACT (for area sources)): National Emission Standards for Hazardous Air Pollutants for Area Sources: Industrial, Commercial, and Institutional Boilers. This rule establishes national emission standards and operating limitations for HAPs emitted from new and existing industrial boilers, institutional boilers, as defined in §63.11237, and commercial boilers that are fueled by coal, biomass, or oil and are located at area sources of HAPs, as defined in §63.2, except for as specified in §63.11195. For the purposes of this subpart, an affected unit is an existing unit if it was constructed prior to June 4, 2010.

According to information provided by Red Cedar, equipment potentially subject to the requirements of this subpart are fired on natural gas, and thus meet the exemption criteria in §63.11195(e). **Therefore, Subpart JJJJJ does not apply.**

Compliance Assurance Monitoring (CAM) Rule

40 CFR Part 64: Compliance Assurance Monitoring Provisions. According to 40 CFR 64.2(a), the CAM rule applies to each Pollutant Specific Emission Unit (PSEU) at a major source that is required to obtain a Part 70 or Part 71 permit if the unit satisfies all of the following criteria:

- 1) The unit is subject to an emission limitation or standard for the applicable regulated air pollutant other than an emissions limitation or standard that is exempt under §64.2(b)(1);

“§64.2(b)(1): Exempt emission limitations or standards. The requirements of this part shall not apply to any of the following emission limitations or standards:

- (i) Emission limitations or standards proposed by the Administrator after November 15, 1990 pursuant to Section 111 or 112 of the Act;*
- (ii) Stratospheric ozone protection requirements under Title VI of the Act;*
- (iii) Acid Rain Program requirements pursuant to Sections 404, 405, 406, 407(a), 407(b) or 410 of the Act;*
- (iv) Emissions limitations or standards or other applicable requirements that apply solely under an emissions trading program approved or promulgated by the Administrator under the Act that allows for trading emissions with a source or between sources;*
- (v) An emissions cap that meets the requirements specified in §70.4(b)(12) or §71.6(a)(13)(iii) of this chapter;*
- (vi) Emission limitations or standards for which a Part 70 or 71 permit specifies a continuous compliance determination method, as defined in §64.1.”*

“§64.1: Continuous compliance method means a method, specified by the applicable standard or an applicable permit condition, which:

- (1) Is used to determine compliance with an emission limitation or standard on a continuous basis, consistent with the averaging period established for the emission limitation or standard; and*
- (2) Provides data either in units of the standard or correlated directly with the compliance limit.”*

- 2) The unit uses a control device to achieve compliance with any such limit or standard; and
- 3) The unit has pre-control device emissions of the applicable regulated pollutant that are equal to or greater than 100% of the amount, in tons per year, required for a source to be classified as a major source.

According to Red Cedar, the CAM rule does not apply to any of the units at the Bondad Compressor Station as the pre-controlled emissions for each unit are less than the major source threshold. **Therefore, CAM does not apply.**

Chemical Accident Prevention Program

40 CFR Part 68: Chemical Accident Prevention Provisions. This rule applies to stationary sources that manufacture, process, use, store, or otherwise handle more than the threshold quantity of a regulated substance in a process. Regulated substances include 77 toxic and 63 flammable substances which are potentially present in the natural gas stream entering the facility and in the storage vessels located at the facility. The quantity of a regulated substance in a process is determined according to the procedures presented under §68.115. §68.115(b)(1) and (2)(i) indicate that toxic and flammable substances in a mixture do not need to be considered when determining whether more than a threshold quantity is present at a stationary source if the concentration of the substance is below one percent by weight of the mixture. §68.115(b)(2)(iii) indicates that prior to entry into a natural gas processing plant, regulated substances in naturally occurring hydrocarbon mixtures need not be considered when determining whether more than a threshold quantity is present at a stationary source. Naturally occurring hydrocarbon mixtures include condensate, field gas, and produced water.

According to Red Cedar, the Bondad Compressor Station does not have regulated substances above the threshold quantities in this rule. **Therefore, the facility is not subject to the requirement to develop and submit a risk management plan.**

Stratospheric Ozone and Climate Protection

40 CFR Part 82, Subpart F: Air Conditioning Units. According to Red Cedar, no maintenance, service, repair or disposal of any equipment containing Class I or Class II refrigerants (chlorofluorocarbons (CFCs)) occurs at Bondad Compressor Station. However, if Red Cedar were to engage in any of the aforementioned activities it must comply with the standards of part 82, Subpart F for recycling and emissions reduction if they service, maintain, or repair the air conditioning units in any way or if they dispose of the units.

40 CFR Part 82, Subpart H: Halon Fire Extinguishers. According to Red Cedar, there are no halon fire extinguishers at Bondad Compressor Station. However, should Red Cedar obtain any halon fire extinguishers, then it must comply with the standards of 40 CFR Part 82, Subpart H for halon emissions reduction, if it services, maintains, tests, repairs, or disposes of equipment that contains halon or uses such equipment during technician training. Specifically, Red Cedar would be required to comply with 40 CFR Part 82 and submit an application for a modification to this Title V permit.

Mandatory Greenhouse Gas Reporting

40 CFR Part 98: Mandatory Greenhouse Gas Reporting. This rule requires sources above certain emission thresholds to calculate, monitor, and report greenhouse gas emissions. The requirements of 40 CFR Part 98 and CAA §307(d)(1)(V), the CAA authority under which 40 CFR Part 98 was promulgated, however, need not be included in a tribal-issued part 70 permit because those requirements are not included in the definition of “applicable requirement” in either 40 CFR part 70 or RAC 1-103(11). Although the rule is not an applicable requirement under 40 CFR Part 70 or the RAC, the source is not relieved from the requirement to comply with the rule separately from compliance with its Part 70 operating permit. It is the responsibility of each source to determine whether Part 98 is applicable and to comply, if necessary.

4. Public Participation

a. Public Notice

Per RAC §2-109, all Part 70 draft operating permits shall be publicly noticed and made available for public comment. Public notice is given by publication in a newspaper of general circulation in the area where the source is located or in a state publication designed to give general public notice, to persons on a mailing list developed by the Tribe, including those who request in writing to be on the list, and by other means if necessary to assure adequate notice to the affected public. If an interested person would like to be added to the Tribe’s mailing list to be informed of future actions on permits issued by the Tribe, please send your name and address:

by United State Postal Service to:

Southern Ute Indian Tribe
Environmental Programs Division
Part 70 Program
PO Box 737 MS #84
Ignacio, Colorado 81137

by any other delivery service to:

Southern Ute Indian Tribe
Environmental Programs Division
Part 70 Program
398 Ouray Drive
Ignacio, Colorado 81137

Public notice for the draft permit was published in the Durango Herald and Southern Ute Drum on October 30, 2019 in order to provide opportunity for public comment on the draft permit and the opportunity to request a public hearing.

b. Opportunity for Comment

Members of the public were given an opportunity to review a copy of the draft permit prepared by the Tribe, the application, the statement of basis for the draft permit, and all supporting materials for the draft permit. Copies of these documents were on the Southern Ute Air Quality Program webpage at <https://www.southernute-nsn.gov/justice-and-regulatory/epd/air-quality/>, and at:

Southern Ute Indian Tribe
Environmental Programs Division
Air Quality Program
71 Mike Frost Way
Ignacio, Colorado 81137

All documents were available for review at the Southern Ute Indian Tribe's Environmental Programs Division office Monday through Friday from 9:00 a.m. to 4:00 p.m. (excluding holidays).

Any interested person was given the opportunity to submit written comments on the draft Part 70 operating permit during the public comment period. The Tribe has considered and addressed comments in making a final decision on the permit. The Tribe keeps a record of the commenters and of the issues raised during the public participation process.

Anyone, including the applicant, who believed any condition of the draft permit was inappropriate, could raise all reasonably ascertainable issues and submit all arguments supporting his or her position by the close of the public comment period. Any supporting materials submitted must have been included in full and may not have been incorporated by reference, unless the material had already been submitted as part of the administrative record in the same proceeding or consisted of Environmental Commission, tribal, state or Federal statutes and regulations, EPA documents of general applicability, or other generally available reference material.

c. Opportunity to Request a Hearing

A person may submit a written request for a public hearing to the Part 70 Permit Contact at the addresses listed above, by stating the nature of the issues to be raised at the public hearing. Based on the number of hearing requests received, the Tribe will hold a public hearing whenever it finds there is a significant degree of public interest in a draft operating permit. The Tribe will provide public notice of the public hearing. If a public hearing is held, any person may submit oral or written statements and data concerning the draft permit.

d. Public Petitions to the Administrator

In the event the Administrator of the United States Environmental Protection Agency does not object to issuance of the permit, on the basis that it would not be in compliance with applicable requirements, within its 45-day review period, any person may then petition the Administrator within 60 days after the

expiration of the Administrator's 45-day review period to make such objection. Any such petition must be based only on objections to the permit that were raised with reasonable specificity during the public comment period unless the petitioner demonstrates that it was impracticable to raise such objections within such period, or unless the grounds for such objections arose after such period. If the administrator objects to a permit as a result of this petition, the Tribe shall not issue the permit until the Administrator's objection has been resolved, except that a petition for review does not stay the effectiveness of a permit or its requirements if the permit was issued after the end of the 45-day review period and before the Administrator's objection.

e. Appeal of Permits

Within 60 days after the Tribe's final permit action, an applicant, any person who filed comments on the draft permit or participated in the public hearing, and any other person who could obtain judicial review of that action under applicable law, may appeal to the Environmental Commission in accordance with RAC 2-109(8) and the Commission's Procedural Rules.

Petitions for administrative review of final permit actions can be filed after the deadline designated by the Commission only if they are based solely on grounds arising after the deadline for administrative review has passed. Such petitions shall be filed no later than 60 days after the new grounds for review arise. If the final permit action being challenged is the Tribe's failure to take final action, a petition for administrative review may be filed any time before the Tribe denies or issues the final permit.

f. Notice to Affected States/Tribes

As described in RAC § 2-109(3), public notice will be given by notifying all affected programs. The following entities will be notified:

- State of Colorado, Department of Public Health and Environment
- State of New Mexico, Environment Department
- Ute Mountain Ute Tribe, Environmental Programs Department
- Navajo Tribe, Navajo Nation EPA
- Jicarilla Tribe, Environmental Protection Office
- National Park Service, Air Resources Division, Denver, CO
- U.S. Department of Agriculture, United States Forest Service, Rocky Mountain Region